

SOUTHERN COMMUNITY LABORATORIES

Name:	RECEPTION, DUNEDIN TESTING	Lab No:	20-1056364
DOB:	01/02/1903 117 Years	Gender:	Unknown
Address:	MICRO	NHI:	
City:	DUNEDIN	Your Ref:	
Report for:	DUNEDIN TESTING RECEPTION	Date Rec:	08/12/2020
Ref. by	POOLING DUMMY DR FOR NCP		18412-208

SARS-CoV-2 (Novel Coronavirus) NAAT

Specimen site: Nasopharyngeal Swab
SARS coronavirus 2 RNA: Not Detected

Comment: A negative nasopharyngeal or oropharyngeal swab doesn't completely exclude SARS-CoV-2 infection, particularly early or late in the course of illness. A repeat sample may be taken if the patient's symptoms deteriorate in the absence of another credible cause.

This test was performed by nucleic acid amplification e.g. RT-PCR, TMA. Testing laboratory: Southern Community Laboratories, Dunedin Hospital, Cumberland Street, Dunedin 9016, New Zealand. Southern Community Laboratories is an IANZ accredited laboratory. Validated and authorised by authority of the Clinical Microbiologist, Dr James Ussher.

08/12/2020
MOLECULAR PA